

THE ICONIC FORD FALCON XB GT

SCALE
1:8



Roof Spoiler

Published weekly

UK: £10.99 AUS: \$21.99



9 772976 581050



07 >

POST-APOCALYPTIC EDITION

THE ICONIC FORD FALCON XB GT

ISSUE 107

ASSEMBLY GUIDE

3

A light is fitted to the roof liner and the roof liner is fixed inside the car. A spoiler is attached to the roof.

YOUR MODEL

You will be building a 1:8 scale replica of a customised 1973 Ford Falcon XB GT. Features include a lift-up bonnet that reveals a detailed engine, opening doors, wind-down windows and an 'active' steering wheel. A remote-control fob illuminates the main lights, brake lights and indicators.

Scale: 1:8
Length: 62cm
Width: 25cm
Height: 19cm
Weight: 7+kg



Official
Licensed Product

Ford Motor Company
trademarks and trade dress
used under licence to GRE
for Groupe ELIGOR

CUSTOMER SERVICE, SUBSCRIPTIONS & BACK ORDERS

Please visit hachettepartworks.com/contact to get in touch.

Published by Hachette Partworks Ltd
4th Floor, Jordan House, 47 Brunswick Place,
London, N1 6EB
www.hachettepartworks.com



© 2026 Hachette Partworks Ltd
© 2026 Ford Motor Company
Distributed in the UK and Republic of Ireland by Marketforce.
Printed in the United Kingdom
ISSN 2976-5811

Complete in 130 issues.

ALL RIGHTS RESERVED

Items may vary from those shown.
All parts belong to a kit. Collectors' item for adults. Not suitable for children under 14. Some parts may have sharp edges, please handle them with care.

The installation of electronic parts must always be carried out by an adult. When replacing batteries, use the same type of batteries. Please ensure that the battery compartment is securely fastened before you use the model again. Used batteries should be recycled. Please make sure to check with your local council how batteries should be disposed of in your area. Batteries can present a choking danger to small children and may cause serious harm if ingested. Do not leave them lying around and keep any spare batteries locked away at all times.

The editor's policy is to use papers that are natural, renewable and recyclable products and made from wood grown in sustainable forests. The logging and manufacturing processes are expected to conform to the environmental regulations of the country of origin.

In the event of a significant increase in production and transport costs, the publisher reserves the right to modify its selling prices.

MANAGING DIRECTOR – Isabelle Couderc
EDITORIAL DIRECTOR – Helen Nally
MARKETING DIRECTOR – Elise Windmill
PRODUCTION DIRECTOR – Sema Sant Anna
MANAGING EDITOR – Sarah Gale
PROJECT EDITOR – Gary Webb
DISTRIBUTION MANAGER – Paul Smith
PRODUCT MANAGER – Rhys Myrner



For our
environmental
policy in full
please scan the
QR code here



**NOT SUITABLE FOR CHILDREN
UNDER THE AGE OF 14.**
This product is not a toy and is
not intended for use in play.

Editorial and design: Windmill Books Ltd

Picture credits:

Front cover: Jess Esposito and David Burton, main;
Richard Bryden, bl; Shutterstock, Steven Giles, background

Step-by-step photography: Richard Bryden

Model photography: Jess Esposito and David Burton

Windmill Books has made every attempt to contact the copyright holder, if you have any information please contact Sophie Mortimer: smortimer@windmillbooks.co.uk



Stage 107: Roof Spoiler

A light is fitted to the roof liner, and the roof liner is fixed inside the car. A spoiler is attached to the roof.



List of parts:


- 107A** Rear roof spoiler
- 107B** Central light for roof
- 107C** Cover for light
- DS02** Five* 2.3 x 4mm PM screws
- PS25** Four* 2.3 x 5mm PB screws

* Including spare


PM = Pan head for metal

PB = Pan head for plastic

Area of assembly




Stage 107: Roof Spoiler



STEP 1

Take the two parts of the roof light **107B** and **107C** and fit them together as shown (left).



STEP 2

Identify the fixing point for the light **107B/C** near the end of the black strip on the roof liner **105A**. Fit the back of the light into the hole.




STEP 3

Holding the light **107B/C** in place, turn the roof liner over and fix the light in place with a **PS25** screw.




STEP 4

Place the car body assembly from issue 104 upside down on your work surface. Fit the roof liner **105A** inside the car body so that it fits neatly against the raised rim inside the car body **94A**.



STEP 5


Fix the two front corners of the roof lining **105A** in place using two **DS02** screws (circled).



STEP 6


Fix the back corners of the roof lining in place with two **DS02** screws (circled).

Stage 107: Roof Spoiler



STEP 7

Turn the car body the right way up and fit the spoiler **107A** across the back of the roof so that screw sockets in part **107A** are aligned with screw holes in the roof of the car body.



STEP 8

Holding the roof liner in place, turn the assembly over and identify the screw holes in the liner **105A** (circled).



STEP 9

Fix the spoiler in place with two **PS25** screws.



COMPLETED ASSEMBLY

A light has been fitted to the roof liner and the liner has been fixed inside the roof of the car. A spoiler has been attached to the roof.

COMING IN ISSUE 108



• ASSEMBLY GUIDE

An arm rest and window winder are fitted to an interior trim panel, and the panel and window are fitted to the car body.

NEW PARTS

Left interior trim panel, left passenger window, arm rest, window winder, window winder handle and screws.



Published weekly

UK: £10.99

AUS: \$21.99

9 772976 581050



hachettepartworks.com/FordFalcon