

THE ICONIC FORD FALCON XB GT

SCALE
1:8



Left Headlight

Published weekly
UK: £10.99 AUS: \$21.99



POST-APOCALYPTIC EDITION

THE ICONIC FORD FALCON XB GT

ISSUE 93

ASSEMBLY GUIDE

3

The left headlight is fitted to the front bumper skirt assembly.

YOUR MODEL

You will be building a 1:8 scale replica of a customised 1973 Ford Falcon XB GT. Features include a lift-up bonnet that reveals a detailed engine, opening doors, wind-down windows and an 'active' steering wheel. A remote-control fob illuminates the main lights, brake lights and indicators.

Scale: 1:8
Length: 62cm
Width: 25cm
Height: 19cm
Weight: 7+kg




Official
Licensed Product

Ford Motor Company
trademarks and trade dress
used under licence to GRE
for Groupe ELIGOR

CUSTOMER SERVICE, SUBSCRIPTIONS & BACK ORDERS

Please visit [hachettepartworks.com/contact](https://www.hachettepartworks.com/contact) to get in touch.

Published by Hachette Partworks Ltd
4th Floor, Jordan House, 47 Brunswick Place,
London, N1 6EB
www.hachettepartworks.com

hachette
PARTWORKS LTD

© 2026 Hachette Partworks Ltd
© 2026 Ford Motor Company
Distributed in the UK and Republic of Ireland by Marketforce.
Printed in the United Kingdom
ISSN 2976-5811

Complete in 130 issues.

ALL RIGHTS RESERVED

Items may vary from those shown.
All parts belong to a kit. Collectors' item for adults. Not suitable for children under 14. Some parts may have sharp edges, please handle them with care.

The installation of electronic parts must always be carried out by an adult. When replacing batteries, use the same type of batteries. Please ensure that the battery compartment is securely fastened before you use the model again. Used batteries should be recycled. Please make sure to check with your local council how batteries should be disposed of in your area. Batteries can present a choking danger to small children and may cause serious harm if ingested. Do not leave them lying around and keep any spare batteries locked away at all times.

The editor's policy is to use papers that are natural, renewable and recyclable products and made from wood grown in sustainable forests. The logging and manufacturing processes are expected to conform to the environmental regulations of the country of origin.

In the event of a significant increase in production and transport costs, the publisher reserves the right to modify its selling prices.

MANAGING DIRECTOR – Isabelle Couderc
EDITORIAL DIRECTOR – Helen Nally
MARKETING DIRECTOR – Elise Windmill
PRODUCTION DIRECTOR – Sema Sant Anna
MANAGING EDITOR – Sarah Gale
PROJECT EDITOR – Gary Webb
DISTRIBUTION MANAGER – Paul Smith
PRODUCT MANAGER – Rhys Myrner



For our
environmental
policy in full
please scan the
QR code here



**NOT SUITABLE FOR CHILDREN
UNDER THE AGE OF 14.**
This product is not a toy and is
not intended for use in play.

Editorial and design: Windmill Books Ltd

Picture credits:
Front cover: Jess Esposito and David Burton; main;
Richard Bryden, bl; Shutterstock, Steven Giles, background
Step-by-step photography: Richard Bryden
Model photography: Jess Esposito and David Burton

Windmill Books has made every attempt to contact the copyright holder, if you have any information please contact Sophie Mortimer: smortimer@windmillbooks.co.uk

t=top, c=centre, b=bottom, l=left, r=right, u=upper

Stage 93: Left Headlight

The left headlight is fitted to the front bumper skirt assembly.



List of parts:


- 93A** Headlight housing (left)
- 93B** Headlight outer lens (left)
- 93C** Headlight reflector holder (left)
- 93D** LED and cable (labelled 12)
- 93E** Headlight reflector (left)
- 93F** Headlight lens
- PS05** Four* 2.3 x 4mm PB screws
- DS02** Three* 2.3 x 4mm PM screws

* Including spare


PM = Pan head for metal

PB = Pan head for plastic

Area of assembly



Stage 93: Left Headlight




STEP 1

Take the headlight lens **93F** and check that the small tab is labelled L.




STEP 2

Clip the tab off the lens **93F** using a sharp pair of clippers. Smooth off any roughness if necessary.




STEP 3

Fit the lens **93F** over the headlight reflector **93E**. Note that the tabs on part **93F** and slots on part **93E** are different sizes, to ensure you fit the lens the right way up. You may need to remove any roughness from the tabs to ensure they fit. Push the lens firmly in place.



STEP 4

Fit the lens reflector assembly **93E/F** into the headlight reflector holder **93C**: raised screw sockets on the back of the reflector align with screw holes on tabs in the holder **93C**.




STEP 5

Turn the assembly over and fix the headlight in place with two **PS05** screws.




STEP 6

Take the headlight housing **93A** and check that the tab is labelled L. Remove the tab with a pair of sharp clippers.



STEP 7


Fit the outer headlight lens **93B** in the opening on the left-hand side of the skirt assembly from the previous issue. Note the orientation of the lens, which is fitted to the inside of part **90A**. Note that the skirt is shown with the upper edge at the bottom here for clarity.



STEP 8


Fit the housing **93A** around the lower edge of the lens **93B**. A hole in one of the tabs in part **93A** fits over a raised screw socket in part **90A** (red arrow). The hole in the tab on the other side of part **93A** aligns with a raised screw socket in part **90A** (yellow arrow).

Stage 93: Left Headlight




STEP 9

Fix one side of part **93A** in place with a **DS02** screw.




STEP 10


Fit the headlight assembly from step 5 over the rim of the holder **93A** so that the screw holes are aligned, as indicated.



STEP 11

Fix the headlight assembly in place: use a **DS02** screw on the outer edge and a **PS05** screw on the inner side of the assembly.





STEP 12

Take the cable **93D**, labelled 12, and fit the LED into the socket in the back of the left headlight.

COMPLETED ASSEMBLY

The left headlight has been assembled and fitted to the front skirt assembly.



COMING IN ISSUE 94



• ASSEMBLY GUIDE

Side scoops are fitted to the upper body of the car.

• CARS ON SCREEN

Steven Spielberg's second feature film, after his 1964 directorial debut *Firelight*, was *Duel* (1971). As explained by author Mike Renault, the legacy of this filmed-for-TV movie about a motorist terrorised by a truck driver has endured.

NEW PARTS

Upper car body, right and left side scoops and screws.



Published weekly

UK: £10.99

AUS: \$21.99



hachettepartworks.com/FordFalcon